

Requested Patent: WO9911078A1
Title: GEOGRAPHICAL DATABASE FOR RADIO SYSTEM ;
Abstracted Patent: US6108533 ;
Publication Date: 2000-08-22 ;
Inventor(s): BROHOFF HAAKAN TORGNY (SE) ;
Applicant(s): ERICSSON TELEFON AB L M (SE) ;
Application Number: US19970918546 19970822 ;
Priority Number(s): US19970918546 19970822 ;
IPC Classification: H04M3/42 ; H04Q7/20 ;
Equivalents: AU8565698

ABSTRACT:

A geographical database connected to a mobile radio network contains information about consumer services within the network and about a plurality of geographic areas into which the service area of the network is divided. When a mobile station seeks to obtain information from the database by entering one or more search key words, the network determines the current geographic location of the mobile station within the network. Both the search keys and the mobile station's current location are used to search the database and return to the mobile station information about available consumer services in different zones made up of geographic areas near its current location. The input and output from the database may be voice or text.



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04Q 7/22	A1	(11) International Publication Number: WO 99/11078 (43) International Publication Date: 4 March 1999 (04.03.99)																	
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top; padding: 5px;"> (21) International Application Number: PCT/SE98/01441 (22) International Filing Date: 7 August 1998 (07.08.98) (30) Priority Data: 08/918,546 22 August 1997 (22.08.97) US (71) Applicant: TELEFONAKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE). (72) Inventor: BROHOFF, Håkan; Bronsåldersgatan 68A, S-582 68 Linköping (SE). (74) Agent: ERICSSON RADIO SYSTEMS AB; Common Patent Dept., S-164 80 Stockholm (SE). </td> <td style="width: 50%; vertical-align: top; padding: 5px;"> (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> </td> </tr> </table>			(21) International Application Number: PCT/SE98/01441 (22) International Filing Date: 7 August 1998 (07.08.98) (30) Priority Data: 08/918,546 22 August 1997 (22.08.97) US (71) Applicant: TELEFONAKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE). (72) Inventor: BROHOFF, Håkan; Bronsåldersgatan 68A, S-582 68 Linköping (SE). (74) Agent: ERICSSON RADIO SYSTEMS AB; Common Patent Dept., S-164 80 Stockholm (SE).	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>															
(21) International Application Number: PCT/SE98/01441 (22) International Filing Date: 7 August 1998 (07.08.98) (30) Priority Data: 08/918,546 22 August 1997 (22.08.97) US (71) Applicant: TELEFONAKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE). (72) Inventor: BROHOFF, Håkan; Bronsåldersgatan 68A, S-582 68 Linköping (SE). (74) Agent: ERICSSON RADIO SYSTEMS AB; Common Patent Dept., S-164 80 Stockholm (SE).	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>																		
(54) Title: GEOGRAPHICAL DATABASE FOR RADIO SYSTEM																			
<table style="width: 100%; border: none;"> <thead> <tr> <th style="text-align: left; border-bottom: 1px solid black; width: 30%;">General Search Word</th> <th style="text-align: left; border-bottom: 1px solid black; width: 30%;">Specific Search Word</th> <th style="width: 40%;"></th> </tr> </thead> <tbody> <tr> <td rowspan="4" style="vertical-align: middle;">Meal Restaurants Food</td> <td style="border-left: 1px solid black; padding-left: 5px;">Burger Queen</td> <td>Cell 2 — Geographic information Specific information</td> </tr> <tr> <td style="border-left: 1px solid black; padding-left: 5px;">Pizzo Costle</td> <td>Cell 2 — Geographic information Specific information</td> </tr> <tr> <td style="border-left: 1px solid black; padding-left: 5px;">Pizzo House</td> <td>Cell 4 — Geographic information Specific information</td> </tr> <tr> <td style="border-left: 1px solid black; padding-left: 5px;">Mocdonolds</td> <td>Cell 5 — Geographic information Specific information</td> </tr> <tr> <td rowspan="2" style="vertical-align: middle;">Hamburgers</td> <td style="border-left: 1px solid black; padding-left: 5px;">Burger Queen</td> <td>Cell 2 — Geographic information Specific information</td> </tr> <tr> <td style="border-left: 1px solid black; padding-left: 5px;">MacDonalds</td> <td>Cell 5 — Geographic information Specific information</td> </tr> </tbody> </table>			General Search Word	Specific Search Word		Meal Restaurants Food	Burger Queen	Cell 2 — Geographic information Specific information	Pizzo Costle	Cell 2 — Geographic information Specific information	Pizzo House	Cell 4 — Geographic information Specific information	Mocdonolds	Cell 5 — Geographic information Specific information	Hamburgers	Burger Queen	Cell 2 — Geographic information Specific information	MacDonalds	Cell 5 — Geographic information Specific information
General Search Word	Specific Search Word																		
Meal Restaurants Food	Burger Queen	Cell 2 — Geographic information Specific information																	
	Pizzo Costle	Cell 2 — Geographic information Specific information																	
	Pizzo House	Cell 4 — Geographic information Specific information																	
	Mocdonolds	Cell 5 — Geographic information Specific information																	
Hamburgers	Burger Queen	Cell 2 — Geographic information Specific information																	
	MacDonalds	Cell 5 — Geographic information Specific information																	
(57) Abstract <p>A geographical database connected to a mobile radio network (10) contains information about consumer services within the network (10) and about a plurality of geographic areas into which the service area of the network (10) is divided. When a mobile station (19) seeks to obtain information from the database by entering one or more search key words, the network (10) determines the current geographic location of the mobile station (19) within the network (10). Both the search keys and the mobile station's current location are used to search the database and return to the mobile station (19) information about available consumer services in different zones made up of geographic areas near its current location. The input and output from the database may be voice or text.</p>																			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

GEOGRAPHICAL DATABASE FOR RADIO SYSTEM

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to radio telecommunication systems and, more particularly, to a geographical database for providing information to the subscribers of cellular radio systems.

Description of the Related Art

In recent years the growth of mobile radio telephone systems, particularly cellular telephone systems has been phenomenal. Such systems enable complete telecommunications facilities to be furnished to a community, city, or even an entire country without the time and expense of installing a wireline infrastructure. Moreover, radio telephone systems provide communication resources to a subscriber regardless of the physical position of the subscriber within the system or whether the subscriber is moving or stationary.

Each mobile radio telecommunication system operator must make a very large investment in infrastructure equipment, including mobile switching centers and base stations, in order to serve the geographic territory for which it has a license. As a result, each operator seeks to: (1) provide high quality telecommunication service to its subscribers at reasonable costs; (2) provide as many value added adjunctive services as possible to its subscribers in order to retain those subscribers and to attract new ones to its network; and (3) to increase its revenue from both basic telecommunication services and the provision of additional adjunctive communication services to its subscribers.

The subscribers of a mobile radio telecommunications system often move frequently and widely throughout a geographic area. This movement may take them into geographic areas with which they are personally unfamiliar. While some radio networks provide value added services to their subscribers such as dial up services which list restaurants, movies, emergency services and the like, these services are unable to identify the specific geographic location of the calling mobile station within the network and custom configure the information provided to it as a function of its current geographic location.

Often, a mobile radio subscriber, for example a mobile subscriber moving within a shopping center or even an in-door shopping mall, would be very interested in obtaining information with respect to the closest restaurant or coffee shop or speciality store of a particular type in their geographic area. Similarly, a motorist driving in an unfamiliar part of town who is running low on fuel would very interested in knowing the closest gasoline station to its current location. Likewise, a motorist seeking to get from town A to town B in an unfamiliar geographic area would also be interested in knowing the proper routes to drive in order to reach town B, particularly if roadway construction made the use of detours necessary.

While computerized navigation systems and geostationary positioning satellite systems have the capability of identifying the specific geographic position of a sensor on the face of the earth, such systems are generally not integrated with a communication system. Moreover, most communication systems are not adapted for the delivery of specific information from a database to a person requesting information of a particular type. The method and system of the present invention provides a geographical database integrated into a radio telecommunications system for providing specific information to a radio subscriber upon request. The specific information is based upon a specific request by the subscriber and may be configured to be directly associated with the current geographic position of the subscriber within the radio network.

There are numerous techniques for geographically locating a mobile station within a cellular radio system. These are used primarily for purposes for rendering emergency aid to the mobile subscriber or for configuring system resources, such as the characteristics of a directional antenna array for the specific position of a mobile subscriber. None of these systems identify the position of the mobile station with respect to other geographic elements for purposes of supplying it with information from a geographic database.

BRIEF SUMMARY OF THE INVENTION

In one aspect, the present invention includes providing geographic information from a database within a radio telecommunications network. A database is provided and connected to the network and contains a first set of specific information about consumer services available within the network and a second set of information about a plurality of geographic areas within the network and their relationship to one another. Each of the

-3-

items of specific information about consumer services in the first set is associated with the information in the second set which corresponds to the geographic location within the network where the services are available to subscribers of the network. A mobile station within the network requests information from the database and information is returned
5 from the database to the mobile station based upon a search thereof in response to the request. In one embodiment of this aspect, the type of information requested by the mobile station may require that the database know the current geographic location of the mobile station. In such a case, the current geographic location of the mobile station is determined and translated into a corresponding geographic area contained within the
10 second set of information in the database. The geographic area and any search keys furnished by the requesting mobile station is used to search the database for the information requested.

In another aspect, the present invention includes a geographic database for a mobile radio telecommunication network which has a plurality of cells served by base
15 stations connected to at least one mobile switching center and which enables a mobile station moving within the network to establish radio communication with the network. The geographic database is connected to the network and queryable by a mobile station from within the network over the air interface thereof. The database comprises data defining a plurality of geographic zones within the network with each zone comprising
20 a plurality of geographic areas. Each of the geographic areas contain geographic information made up of a plurality of information components and each zone is defined by the information components to have specific spacial relationships between each other and the geographic area. The database also includes data defining a plurality of elements of specific information with at least some of the elements defining consumer services
25 available to subscribers of the radio network and at least some of the elements being directly associated with one or more of the geographic areas identifying the location at which the associated consumer service may be obtained within the network by the subscriber.

In a still further aspect, the present invention includes accessing information
30 within a geographical database associated with a radio telecommunications system serving mobile stations moving over a geographic area. A message is sent from the mobile station to the network seeking to invoke the information service and a message acknowledging receipt of the information request message is sent by network. A specific

query is sent from the mobile station to the network seeking information from the database. The current geographic location within the network of the querying mobile station is determined. The database is searched with the specific query of the mobile station and the current geographic location of the mobile station and information located
5 within the database related to the query of the mobile station. The located information is arranged hierarchically into groups in accordance with the geographic zone with which the information has an association and is provided from the database to the querying mobile station in sequential groups in accordance with the proximity of the zone with which each group is associated to the zone in which the querying mobile station is
10 currently located.

BRIEF DESCRIPTION OF THE DRAWINGS

For an understanding of the present invention and for further objects and advantages thereof, reference can now be had to the following description, taken in conjunction with the accompanying drawings in which:

15 FIG. 1 is a block diagram illustrating a portion of a cellular radio system equipped with a geographic database constructed in accordance with the present invention;

FIG. 2 is a block diagram illustrating certain elements of one aspect of the organization of a geographic database constructed in accordance with the present invention;

20 FIG. 3 is a diagram illustrating the organization of zones within the geographic database constructed in accordance with the present invention;

FIG. 4 is a diagram illustrating certain organizational aspects of the geographic database constructed in accordance with the present invention;

25 FIG. 5 is a diagram illustrating a possible relationship between different zones in the geographic database of the present invention and to the cells of a cellular radio system within which said database is integrated;

FIG. 6 is a diagram illustrating the use of zones and geographic areas within a database constructed in accordance with the present invention;

30 FIG. 7 is a signaling diagram depicting the flow of messages between a mobile station and the network during the use of geographic database of the present invention;

FIG. 8 is a flow chart depicting certain aspects of the use of the geographic database of the present invention;

-5-

FIG. 9 is a pictorial diagram depicting one aspect of the presentation of information within the geographic database of the present invention;

FIG. 10 is a pictorial diagram depicting another aspect of the presentation of information within the geographic database of the present invention;

5 FIG. 11 is a block diagram illustrating the construction of an information request message within the geographic database of the present invention; and

FIG. 12 is a diagram illustrating the mapping of mobile station position coordinates to geographic areas within the geographic database of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

10 Referring to Fig. 1, there is shown a block diagram of a portion of a cellular radio telecommunications system 10 including a plurality of cells 11-13 each being served by base stations 14-16, respectively. The base stations 14-16 are connected via cable or microwave links 17 to a mobile switching center 18. The mobile switching center 18 includes a geographic database (GDB) constructed in accordance with the present
15 invention together with an interface or adaption 22 which enables the database 21 to be searched and accessed by mobile stations 19 moving within the cellular system 10. It should be understood that the GDB 21 need not be a part of the MSC 18 but could, rather, be a stand alone node, if desired.

The input to the geographic database typically includes two components: (1) the
20 geographic area from which the inquiry originates, i.e. the geographic location of a mobile station accessing the database; and (2) a possible search key designating information a user desires to obtain from within the database. The geographic area from which the inquiry occurs could be the cell from which the service is invoked by a mobile station. However, there exist many more sophisticated methods to locate the specific
25 position of a mobile station within a cellular radio network. Several exemplary techniques are shown and discussed in European Patent No. EP-767594, PCT Patent Application WO-9629836, PCT Patent Application WO-9625830, Japanese Patent JP06326651, Japanese Patent JP04132322, Japanese Patent JP04095791, Japanese Patent JP01170133, German Patent DE3516357, PCT Application WO8502023 and Japanese
30 Patent JP60021641, all of which are hereby incorporated by reference herein.

One technique which produces relatively accurate mobile station position information is triangulation in which three base stations from three different cell sites are

used in the location decision procedure. The more accurately the geographic location of the requesting mobile station is determined, the more precise information which can be supplied from the geographic database. A set of geographic coordinates defines the actual geographic area from which the request has originated.

5 A search key which may be sent from the mobile station requesting information from the geographic database to the system can be either general or specific. A general search key is also associated with either one or several specific search keys. While a specific search key is unique, a general search key is an abstraction of one or more specific search keys. For example, the general search key "food" is associated with the
10 specific search keys "Pizza Hut", "McDonald's", and "Burger King." Each specific search key may be associated with a specific information element.

 The specific information stored within the geographic database and tied to a specific search key is conveyed back to the inquiring party either as text or as a voice message in response to the inquiry. Each specific search key may be associated with one
15 geographical area and each geographical area may be associated with an information element within the geographical database. For each specific service requested by the mobile station, the specific information that is tied to the geographical area is also conveyed back to the inquiring party either as text or as a voice message in response to the inquiry.

20 Referring next to Fig. 2, there is shown a block diagram illustrating the organization and relative object relations within the structure of the database of the present invention. An inquiry 31 from a mobile station operating within the cellular network 10 may contain either a general search key 32 or a specific search key 33. Similarly, the general search key may also contain one or more specific search keys 33.
25 The inquiry 31 also originates from a geographic area 34 which is part of a geographic zone 35. Each zone 35 contains one or more geographic areas 34. Each zone 35 also has a number of possible zone relations 36 each of which contains a zone relation element 37. The zone relationship object 36 may contain information on, for example, how to get from one zone to the other. Similarly, each geographic area contains geographic
30 information 38 each element of which contains geographic information components 39. Each specific search key may also contain specific information 41 which is made up of specific information components 39.

-7-

A geographic area 34 may be part of one and only one zone 35. While a zone 35 may contain several geographic areas 34, each zone 35 also has certain relationships to other zones 35. The nature of this relationship may be of several different types; for example, a neighbor relationship or a separation distance relationship. The neighboring zone concept is used in the database of the present invention in order to facilitate the organization and presentation of information to an inquiring party of the geographic database.

Referring next to Fig. 3, there is shown a pictorial diagram illustrating the concept of geographic areas and zones and showing one possible interrelationships between zones in the organization of the geographic database of the present invention. Each of the zones 35a-35e are related to one another, respectively, by concentrically surrounding one another. They are shown as being generally circular but other shapes and configurations are possible. The originating geographic area 34a is depicted as being at the center of the concentrically related zones 35a-35e. The interrelationship of the respective zones 35a-35e are shown along a scale 43 which represents relative distance of the respective zones from the originating geographic area 34a and which may also represent the requested order of presentation of information to the inquiring party from the database. The information from the database associated with the zone from which the inquiry originated is presented first. That is, since the inquiry originated from geographic area 34a which lies within the first zone 35a, information within the database that is associated with zone 35a is first presented. Thereafter, information associated with each of the other geographic areas 35b-35e are presented in a sequential and orderly fashion as belonging to the next most proximately related neighboring zones to the originating zone 35a. So also, each neighboring zone may also have neighbors and each such neighboring zone is dealt with until the system is satisfied that there are no more zones left to handle in order to present all of the information required to respond to the inquiry received by the database.

The information to be delivered to the inquiring party from the database is constructed from a plurality of information components. Each information component is a small fraction of an information message. Each of the information components can be shared among different information messages.

As mentioned above, it is generally of interest to know the geographic location of the mobile station of the inquiring party but it may also be of interest to know the

position of other specific mobile subscribers within the system in order to satisfy an inquiry of the geographic database. Such geographic position information can be obtained, in certain cases, from knowledge as to the existing location or registration facilities, i.e., cells or location areas, which is used together with the geographic database
5 to obtain information. The geographic database contains geographic information about each location area within the system.

The geographic database of the present invention may be used in a number of different ways. For example, in Fig. 4 there is illustrated examples of different applications within shopping mall. In this particular example, the inquiring party is
10 interested in obtaining information from the geographic database concerning the entire service area and, thus, the neighboring zone concept is not applied. As shown in Fig. 4, each of the cells 51-55 include a number of different geographic elements. For example, cell 51 includes the "Cinema 2000," a "Shamrock" service station and a "Gant" clothing store. Since the inquiring party is interested in information on the entire service area the
15 geographical information input element may be omitted. The entry of a general search key word like "Food" provides four hits in the geographic database: "Burger Queen", "Pizza Castle", "Pizza House", and "McDonald's". The specific information provided by the geographic database with respect to each of these hits may include geographical information on how to get to each of the locations. The specific information may also
20 include special offers currently being extended by each of the establishments identified by the database in response to the general word "Food". The user might also have entered other general search words, such as "hamburgers" and receive two hits from the database or might have entered a specific search word identifying any one of the food establishments and be given specific information with respect to how to reach that
25 particular establishment, i.e. the location within the shopping mall where the establishment is located.

Referring next to Fig. 5, there is shown an illustrative macrosystem within which the geographic database of the present invention is implemented. In this example, the size of each of the cells 61, 62 and 63 is relatively large and each covers multiple
30 geographic zones defined within the database. Thus, because of the size and the application, the neighboring zone concept is applied to the retrieval of information from within the database. The inquiring mobile station 19 within the originating geographic area 34a is shown as the central point of inquiry and the location about which geographic

information is supplied to the database. The inquiring mobile station 19 is positioned within cell 62 and within zone A defined by the geographic database and depicted by the light color geographic areas 34. A ring of additional geographic areas, slightly shaded and defined to be zone B encircles zone A. Finally, darker shaded geographic areas 34 are defined as zone C which encircles both zone A and zone B. A number of service stations, for example, those identified by "OK" (within zone A) "Q8" (within zone B) and "BP" and "76" (within zone C) are in hierarchically organized proximate areas to mobile station 19.

Each geographic area is defined by its coordinates. The resolution of each coordinate depends upon the technique used to locate the inquiring mobile station 19. In general, it is preferred not to have geographic areas which are too small in comparison to the error which is inherent in locating the mobile station itself. This results in the obtaining of better location information from the database. In Fig. 5, the entry of the general search key for the word "gas" provides several hits in the geographic database. The information is conveyed to the mobile subscriber 19 in such a way that hits that are closest to the mobile subscriber are presented first, starting with zone A, i.e. the "OK" station. Thereafter, the hits within zone B are presented and followed by the hits presented in zone C.

A further exemplary diagram depicting the use and organization of information within the geographic database of the present invention is illustrated in Fig. 6. In this example the database is used to obtain information about a relatively large geographic area in which the size of the cells and the zones defined within the system are relatively large. Since the inquirer is not interested in getting information concerning the entire service area the zone concept is used in the example of Fig. 6. The system is divided into geographic areas 34 a plurality of which are organized into zones 65 each bearing some relationship to the other. In this example, the inquiring mobile station is interested in getting from point A to point B and the service provides updated information with respect to road construction, routings, etc. In this type of request from an inquiring mobile station only the zone relation information is of interest and therefore the only information which is returned in response to the inquiry.

In Fig. 6, the mobile station 19 is located in B-town and would like to go to C-town. To place an inquiry the mobile station accesses the cellular network and through it the geographic database. The inquiring mobile station gives the appropriate search

-10-

word "C-town". The system has from the information initially input with the request located the inquiring mobile station to be in B-town and thus accesses the database with respect to the requested search word. It then returns to the inquiring party a message directing it to take the route E-2 from B-town to C-town because there are road constructions on route E-4.

The number of zone relation information elements needed in a geographic database varies in accordance with the statistical formula:

$$\frac{n!}{((n-2)! * 2!)}$$

where n is the total number of zones defined in the system. Table I gives the number of relation information elements for various numbers of zones.

NUMBER OF ZONE	NUMBER OF RELATION INFORMATION ELEMENTS
10	45
100	49, 50
1,000	4,099,500
10,000	49,995,000

From Table I, it is apparent that this model is most suitable for smaller systems like metropolitan information systems. Search words tied to metropolitan information such as subway stations can facilitate the life for a tourist visiting a city providing this service.

Referring next to Fig. 7, there is shown a signaling diagram illustrating the exchange of signaling messages within a cellular system in order to access and obtain information from the geographic database constructed in accordance with the present invention. As illustrated, an inquiring mobile station seeks to invoke the geographic information service by an Invoke Service message 71 sent from the mobile station to the base station and from the base station to the adaption section of the MSC. In response, the MSC returns a Present Services message 72 to the mobile station indicating the services which are currently available to it based upon the location from which the mobile sent the Invoke Service message 71. Next, the mobile station sends to the MSC at 73 a Service Request message including a search key, and selection from the list of

-11-

available services. In response, the MSC sends a locate MS message 74 from the MSC to the base station. The base station institutes inquiries 75 and 76 which locate by various schemes well known in the art the inquiring mobile stations within the geographic structure of the cellular system. Once located, the base station returns an MS
5 Located message 76 to the MSC which then forwards the Inquiry Message 77 containing the search key and the geographic area identifier for the inquiring mobile station. During the time that the search is going on within the geographic database, the mobile station has the possibility to issue at 78 a stop message aborting the search. Finally, at 79, the geographic database returns an Inquiry Result message through the MSC and base station
10 to the mobile station providing to it the results of the search within the geographic database keyed to the inquiry.

Referring next to Fig. 8, there is shown a flow chart depicting one aspect of the method and system of the present invention. At 81 the mobile station contacts the MSC to request geographical database service. The call from the mobile station originates
15 in a cell or location area which is part of a service area. At 82 the mobile station receives the service request from the mobile station and sends a message to it listing the types of services which are available. In the present system, different geographical database services may be offered to a mobile subscriber in different service areas. For example, some of the different services include the following: (1) determining the
20 position of one's own mobile station within the service area; (2) determining the position of another mobile station within the service area; (3) finding information which is associated with different search keys and with respect to the position of a mobile station (either the inquiring MS or another MS) within the actual service area; (4) finding information related to different search keys with respect to the entire service
25 area; and (5) finding information which identifies and describes the relationship between two different geographic areas.

At 83, the mobile station selects one from the plurality of choices given to it in the list and then sends an inquiry message to the MSC indicating its choice of service along with any appropriate search keys. At 84, the system determines whether the
30 service requested requires the location of either the requesting MS or some other MS.

If at 84, the system determines that no mobile station location is necessary to supply the service requested, the system moves to 92 at which it accesses the

-12-

geographic database based upon the inquiry message from the mobile station and any location area or areas which might be required for performing the database search. At 93, the system determines whether the results of the search are dependent upon the location of a mobile station. If not, at 94, the system returns the search results to the mobile station. If, however, at 93, the search results requested are mobile station location dependent, at 95, the system organizes the search results into groups in a hierarchial fashion by geographic zones. At 96, search results are returned to the mobile station in sequential groups based upon the proximity of the geographic zone with which they are associated to the geographic location of the mobile station.

10 If the system determines that it is necessary to locate a mobile station to render the service requested, it moves to 85 and determines whether or not the mobile station to be located is the requesting mobile station or another mobile station. If it is the requesting mobile station at 86 the MSC sends the necessary request to the group of base stations near where the requesting mobile station is operating to determine its specific location in accordance with certain well known techniques. Once the location of the mobile station is determined at 87 a message is sent to the MSC which contains an identification of the mobile station location within the network. At 88, the mobile station located is translated into a corresponding geographic area identified within the database and sent to the search procedure at 92.

20 If, however, at 85, it is determined that the mobile station that needs to be located to supply the service requested by the requesting mobile station is a mobile station other than the requesting mobile station, the system moves to 89 and determines whether the other mobile station to be located is in active speech mode. If so, the system moves to 86 and locates the mobile station as described above. If the mobile station to be located is not in active speech mode at that time, the system moves to 91 and brings the mobile station into active state and then moves to 86 to locate the mobile station.

Each of the above referenced services cases 1-3 and 5 involve the locating of a mobile station. As mentioned above, different methods exist for locating the position of a mobile station and are well known to those skilled in the art. The locating information, such as frequencies currently assigned to mobile stations and the like which are needed for the task are sent to the base stations. The technique for locating

mobile stations may involve several base stations and base station to mobile station signaling in order to determine the mobile station's precise position within the network. Determining the position of a mobile station which is not the requesting mobile station involves somewhat more sophisticated methods. In the case that the mobile station is not currently in active speech mode, it must be brought into speech mode in order to be detected and its position measured.

In the search of the geographical database 92, different techniques are used depending upon the particular type of service that has been requested by the mobile station. These include the following:

- 10 Case 1 - In the case the mobile station wants to determine its own position, the input to the geographic database is the current geographical area of the mobile station as determined by the system. The geographical area contains geographic information comprising geographic information components. The geographic information is then sent to the inquiring mobile station as a search result.
- 15 Case 2 - In determining the position of another mobile station, again the input to the geographical database is the geographical area currently occupied by that mobile station. This geographical area contains geographic information comprising geographic information components which are assembled and sent to the inquiring mobile station.
- 20 Case 3 - In this service, the inquiring mobile station wants to find information tied to different search keys which are, in turn, related to the mobile station's current position and the actual active service area within which it is operating. The input to the geographical database is a search key and a geographic area. The search key may be a general one or it may comprise one or more specific search keys. The geographic area input to the search may be part of a zone and the database search process starts with the zone containing the input geographic area. For each geographic area in the zone which is associated with an
- 25
- 30

-14-

identified specific search key, the specific information tied to the search key is presented to the mobile station. The geographic information associated with the specific geographic area may also be presented to the mobile station once per geographic area or for every identified search key as desired by the system operator or as selected by the inquiring mobile station. Specific information tied to a specific search key may also contain geographic information and this information will be more detailed than the geographic information tied to a geographic area. Neighboring zones are treated the same way until the inquiring party or the system is satisfied that there are no more zones left to be reported upon.

Case 4 - In this instance the inquiring party is interested in finding information associated with different search keys but with respect to the entire service area. The input to the geographic database is a search key which may be either general or contain one or more specific search keys. Only the information tied to the identified specific search keys and the entire service area, are presented to the mobile station as search results.

Case 5 - In this instance the mobile station is interested in finding relational information between two geographic areas. The input to the geographic database is a search key and a geographic area. The geographic area is the area which the inquiring mobile station is located and the specific search key is the geographic area where the mobile station would like to go. The search key is associated with the geographic area which is, in turn, part of a zone. Each zone has a relationship to the zone where the mobile station is located and this relational information is sent to the mobile station.

In Fig. 9, another example of neighboring zone information is shown. Here a general search key 32a containing specific search keys 33a, 33b and 33c are used to inquire into information within the geographic database as requested by mobile station

MS 19. Zone 1 is shown to contain geographic area GA1-GA3 while zone 2 is shown to contain geographic areas GA4-GA5. First, relevant information is returned to the mobile station with respect to its own geographic area GA3. Thereafter, information in the contiguous geographic area of zone 1, the same zone as that of the mobile station, is returned with respect to information in geographic area GA2. Finally, the results for a next related, zone 2, is returned for geographic area GA4.

In Fig. 10, there is shown a further example of geographic area relationships in which general search key 32a containing specific search keys 33a, 33b and 33c. Zone 1 contains geographic area GA1 while zone 2 contains GA2, zone 3 contains geographic area GA3 (which also includes the mobile station MS19), zone 4 contains GA4 and zone 5 contains GA5. Again the information is presented to the mobile station in the order of presentation with respect to the proximity of relationships to the zone and geographic area of the mobile station 19. Thus, the information with respect to GA3 is first presented, information with respect to GA4 is next presented and finally information concerning GA2 is presented.

Fig. 11 shows a block diagram illustrating the manner in which an information message might be constructed from a plurality of information components. As shown information message 38a comprises information components "Southwest" 39a, "of" 39b and "Route 66" 39c. Each of these components may be embodied in either textual or vocal form and assembled by the geographic database to be furnished to the inquiring party.

Finally, Fig. 12 illustrates the manner in which a mobile station is positioned within the geographic database of the present invention. When an inquiry comes from a mobile station within the network, the system geographically locates the current position of the inquiring party within the system and locates that party within the various location areas and zones of the system. For example, in Fig. 12 the mobile station is located by coordinates on an XY axis. That position on the XY axis in the upper set of coordinates 91 is virtually repositioned within the lower set of XY coordinates 92 upon which already has been laid out the respective zones and location areas carried within the geographic database. This enables the database to select the information that is most relevant with respect to the inquiry.

As can be seen from the above description, the geographic database of the present invention provides a new and useful service within cellular radio telecommunications

system. Such geographic locating and information providing service is very desirable for a system operator to provide to its mobile subscribers and vendors. The present system also provides a medium for marketing of various services within a network as well as assistance for a mobile subscriber in finding various geographic locations within the service area. A very generic version of the geographic database of the present invention is shown herein and it should be understood that various interfaces and functions could be used together with the database in order to achieve the services described. Additional improvements such as high resolution locating algorithm and more sophisticated database information is easily adapted to the present system.

It should be understood that while the geographic database of the present invention has been disclosed in terms of a radio telecommunication network, such as a cellular network, the present invention may also be implemented within a wireline network such as the PSTN. In such an embodiment of the present invention, a subscriber station calling into the database is identified by the A-number (or other indicator) of the calling party. The network also contains a first database (analogous to the HLR or VLR in the mobile network) which cross references each subscriber having access to the geographic database to a geographic area where it is physically located. The remainder of the access to the database and return of results to the subscriber would be essentially similar to that described above in the case of a mobile network implementation.

Although preferred embodiments of the method and apparatus of the present invention have been illustrated in the accompanying drawings and described in the foregoing description, it is understood that the invention is not limited to the embodiment(s) disclosed but it capable of numerous rearrangements, modifications and substitutions without departing from the spirit of the invention as set forth and defined in the following claims.

-17-

WHAT IS CLAIMED IS:

1. A method of providing geographic information from a database within a radio telecommunications network:

5 providing a database connected to said network and containing a first set of specific information about consumer services available within said network and a second set of information about a plurality of geographic areas within said network and their relationship to one another, each of said items of specific information about consumer services in said first set being associated with the information in said second set which corresponds to the geographic location within said network where said services
10 are available to subscribers of said network;

requesting information from said database from a mobile station within said network; and

returning information from said database to said mobile station based upon a search thereof in response to said request.

15 2. A method of providing geographic information from a database within a radio telecommunications network as set forth in claim 1 wherein said requesting step includes:

sending a message from a mobile station within said network to said network requesting geographic database services;

20 returning a message from said network to said requesting mobile station containing a list of specific database services which are available to said mobile station; and

sending a message from said mobile station to said network containing a selection of a database service from said list along with any appropriate search keys to
25 enable searching of said database if said selected database service requires a search key.

3. A method of providing geographic information from a database within a radio telecommunications network as set forth in claim 2 wherein said database service selected by said mobile station includes providing said mobile station with information from said database on consumer services available in the same geographic area within
30 which the requesting mobile station is currently located.

4. A method of providing geographic information from a database within a radio telecommunications network as set forth in claim 3 wherein said consumer services information provided to said mobile station is hierarchically arranged in groups of messages with the information on consumer services in the geographic areas closest to
5 the current location of said mobile station being delivered first and the information on consumer services in other geographic areas being delivered in order of their increasing distance from the current location of said mobile station.

5. A method of providing geographic information from a database within a radio telecommunications network as set forth in claim 2 wherein said network is a
10 cellular radio network and the database service selected by said mobile station requires the database to know the current geographic location of a mobile station and said method further comprises:

determining the current geographic location of the mobile station about which said database requires knowledge;

15 translating said current geographic location into a corresponding one of said geographic areas contained within said second set of information in said database;
using said geographic area and any search keys furnished by said requesting mobile station to search said database for the information requested.

6. A method of providing geographic information from a database within a
20 cellular radio telecommunications network as set forth in claim 5 wherein said mobile station about which the database requires knowledge of the current geographic location is the mobile station requesting said database service.

7. A method of providing geographic information from a database within a cellular radio telecommunications network as set forth in claim 2 wherein said database
25 services available to said mobile station include providing said mobile station with information from said database on consumer services available in the same geographic area within which the requesting mobile station is currently located, providing said mobile station with its current location, and providing said mobile station with information from said database on consumer services available throughout the entire
30 network area.

-19-

8. A method of providing geographic information from a database within a radio telecommunications network as set forth in claim 1 wherein said second set of information about a plurality of geographic areas within said network and their relationship to one another is organized into:

5 a plurality of geographic information components comprising geographic information forming geographic areas, each of said geographic areas forming part of a geographic zone comprising one or more areas;

a plurality of geographic zones; and

10 a plurality of zone relation information components defining the relationship between each of said zones.

9. A method of providing geographic information from a database within a radio telecommunications network as set forth in claim 8 wherein said zones are organizable into concentric rings, with the intermost zone containing the location area where a mobile station requesting database service is currently located.

15 10. A method of providing geographic information from a database within a radio telecommunications network as set forth in claim 2 wherein said network is a cellular radio network and the database service selected by said mobile station requires the database to know the current geographic location of said mobile station requesting said database services and said method further comprises:

20 taking the cell by which said mobile station is currently being served as the current geographic location of the requesting mobile station;

translating said current geographic location into a corresponding one of said geographic areas contained within said second set of information in said database;

25 using said geographic area and any search keys furnished by said requesting mobile station to search said database for the information requested.

11. A method of providing geographic information from a database within a telecommunications network:

30 providing a database connected to said network and containing a first set of specific information about consumer services available within said network and a second set of information about a plurality of geographic areas within said network and

-20-

their relationship to one another, each of said items of specific information about consumer services in said first set being associated with the information in said second set which corresponds to the geographic location within said network where said services are available to subscribers of said network;

5 requesting information from said database from a subscriber station within said network;

 determining the geographic location of said subscriber station within said network;

 and

10 returning information from said database to said subscriber station based upon a search thereof in response to said request and upon the geographic location of said requesting subscriber station.

12. A method of providing geographic information from a database within a radio telecommunications network as set forth in claim 11 wherein said information
15 returned to said requesting subscriber station includes information from said database on consumer services available in the same geographic area within which the requesting subscriber station is located.

13. A system for providing geographic information from a database within a radio telecommunications network:

20 means for providing a database connected to said network and containing a first set of specific information about consumer services available within said network and a second set of information about a plurality of geographic areas within said network and their relationship to one another, each of said items of specific information about consumer services in said first set being associated with the information in said second
25 set which corresponds to the geographic location within said network where said services are available to subscribers of said network;

 means for requesting information from said database from a mobile station within said network; and

 means for returning information from said database to said mobile station
30 based upon a search thereof in response to said request.

-21-

14. A system for providing geographic information from a database within a radio telecommunications network as set forth in claim 13 wherein said requesting means comprises:

5 means for sending a message from a mobile station within said network to said network requesting geographic database services;

means for returning a message from said network to said requesting mobile station containing a list of specific database services which are available to said mobile station; and

10 means for sending a message from said mobile station to said network containing a selection of a database service from said list along with any appropriate search keys to enable searching of said database if said selected database service requires a search key.

15 15. A system for providing geographic information from a database within a radio telecommunications network as set forth in claim 14 wherein said database service selected by said mobile station includes providing said mobile station with information from said database on consumer services available in the same geographic area within which the requesting mobile station is currently located.

20 16. A system for providing geographic information from a database within a radio telecommunications network as set forth in claim 15 wherein said consumer services information provided to said mobile station is hierarchically arranged in groups of messages with the information on consumer services in the geographic areas closest to the current location of said mobile station being delivered first and the information on consumer services in other geographic areas being delivered in order of their increasing distance from the current location of said mobile station.

25 17. A system for providing geographic information from a database within a radio telecommunications network as set forth in claim 14 wherein said network is a cellular radio network and the database service selected by said mobile station requires the database to know the current geographic location of a mobile station and said system further comprises:

-22-

means for determining the current geographic location of the mobile station about which said database requires knowledge;

means for translating said current geographic location into a corresponding one of said geographic areas contained within said second set of
5 information in said database;

means for using said geographic area and any search keys furnished by said requesting mobile station to search said database for the information requested.

18. A system for providing geographic information from a database within a cellular radio telecommunications network as set forth in claim 17 wherein said mobile
10 station about which the database requires knowledge of the current geographic location is the mobile station requesting said database service.

19. A system for providing geographic information from a database within a cellular radio telecommunications network as set forth in claim 14 wherein said database services available to said mobile station include providing said mobile station with
15 information from said database on consumer services available in the same geographic area within which the requesting mobile station is currently located, providing said mobile station with its current location, and providing said mobile station with information from said database on consumer services available throughout the entire network area.

20. A system for providing geographic information from a database within a radio telecommunications network as set forth in claim 13 wherein said second set of information about a plurality of geographic areas within said network and their relationship to one another is organized into:

a plurality of geographic information components comprising geographic
25 information forming geographic areas, each of said geographic areas forming part of a geographic zone comprising one or more areas;

a plurality of geographic zones; and

a plurality of zone relation information components defining the relationship between each of said zones.

-23-

21. A system for providing geographic information from a database within a radio telecommunications network as set forth in claim 20 wherein said zones are organizable into concentric rings, with the innermost zone containing the location area where a mobile station requesting database service is currently located.

5 22. A system for providing geographic information from a database within a radio telecommunications network as set forth in claim 14 wherein said network is a cellular radio network and the database service selected by said mobile station requires the database to know the current geographic location of said mobile station requesting said database services and said system further comprises:

10 means for taking the cell by which said mobile station is currently being served as the current geographic location of the requesting mobile station;

means for translating said current geographic location into a corresponding one of said geographic areas contained within said second set of information in said database;

15 means for using said geographic area and any search keys furnished by said requesting mobile station to search said database for the information requested.

23. A system for providing geographic information from a database within a telecommunications network:

20 means for providing a database connected to said network and containing a first set of specific information about consumer services available within said network and a second set of information about a plurality of geographic areas within said network and their relationship to one another, each of said items of specific information about consumer services in said first set being associated with the information in said second set which corresponds to the geographic location within said network where said services
25 are available to subscribers of said network;

means for requesting information from said database from a subscriber station within said network;

means for determining the geographic location of said subscriber station within said network; and

-24-

means for returning information from said database to said subscriber station based upon a search thereof in response to said request and upon the geographic location of said requesting subscriber station.

24. A system for providing geographic information from a database within a radio telecommunications network as set forth in claim 23 wherein said information returned to said requesting subscriber station includes information from said database on consumer services available in the same geographic area within which the requesting subscriber station is located.

25. A geographic database for a mobile radio telecommunication network which includes a plurality of cells served by base stations connected to at least one mobile switching center and which enables a mobile station moving within the network to establish radio communication with the network, said geographical database being connected to said network and queriable by a mobile station from within said network over the air interface thereof, said database comprising:

data defining a plurality of geographic zones within said network, each zone comprising a plurality of geographic areas;

each of said geographic areas containing geographic information made up of a plurality of information components and each zone being defined by said information components to have specific spacial relationships between each other and said geographic areas;

data defining a plurality of elements of specific information with at least some of said elements defining consumer services available to subscribers of said radio network and at least some of said elements being directly associated with one or more of said geographic areas identifying the location at which said associated consumer service may be obtained within said network by said subscriber.

26. A geographic database for a mobile radio telecommunication network as set forth in claim 25 which also includes:

means for accepting an inquiry from a mobile station requesting information related to the availability of a particular consumer service within said network;

-25-

means for ascertaining the current location within said network of said requesting mobile station;

5 means for translating said ascertained current location of said mobile station into a corresponding particular geographic area within the data structure of said database;

means for searching said database to located references therein to the particular type of consumer service inquired about by said mobile station along with the geographic area information associated with each;

10 means for organizing said consumer service reference information into hierarchical groups in accordance with the zone within which each is available; and

means for returning said consumer service reference information to said requesting mobile station in groups with the group corresponding to the zone in which the requesting mobile station is currently located being returned first and other groups in the order with which they are proximate to the zone in which the requesting mobile station is currently located.

15

27. A geographic database for a mobile radio telecommunication network as set forth in claim 26 wherein said zones within which said groups of consumer service reference information is organized are concentric with respect to one another.

20 28. A geographic database for a mobile radio telecommunication network as set forth in claim 25 which also includes:

means for accepting an inquiry from a mobile station requesting information related to a particular geographic location within the network which the mobile station desires to know how to reach;

25 means for ascertaining the current location within said network of said requesting mobile station;

means for translating said ascertained current location of said mobile station into a corresponding particular geographic area within the data structure of said database;

30 means for searching said database to locate references therein to said a particular geographic location within the network which the mobile station desires to know how to reach to determine its corresponding geographic area;

-26-

means for determining the spacial relationship between the zones which contain the current geographic area of said requesting mobile station and the geographic area of the particular location; and

5 means for returning information about said determined spacial relationship to said inquiring mobile station in the form of directions on how to reach the particular geographic location.

29. A method for accessing information within a geographical database associated with a radio telecommunications system serving mobile stations moving over a geographic area, said method comprising:

10 sending a message from the mobile station to the network seeking to invoke the information service;

acknowledging receipt of the information request message by the network;

sending a specific query from the mobile station to the network seeking information from said database;

15 determining the current geographic location of the querying mobile station within the network;

searching the database with the specific query of the mobile station and the current geographic location of the mobile station;

20 locating information within the database related to the query of said mobile station;

organizing said located information hierarchically into groups in accordance with geographic zones with which said information has an association; and

25 providing said organized information from the database to the querying mobile station in sequential groups in accordance with the proximity of the zone with which each group is associated to the zone in which the querying mobile station is currently located.

30 30. A method for accessing information within a geographical database associated with a radio telecommunications system serving mobile stations moving over a geographic area as set forth in claim 29 wherein the zones in accordance with which said information is organized are concentric with respect to one another and the location of the querying mobile station is at the center thereof.

-27-

31. A method for accessing information within a geographical database associated with a radio telecommunications system serving mobile stations moving over a geographic area as set forth in claim 29 wherein said information sought by said mobile station is related to consumer services available to subscribers of said telecommunication system and each of the items of said information has an association with a geographic zone within which said services are available to said subscriber.

32. A system for accessing information within a geographical database associated with a radio telecommunications system serving mobile stations moving over a geographic area, said method comprising:

10 means for sending a message from the mobile station to the network seeking to invoke the information service;

means for acknowledging receipt of the information request message by the network;

means for sending a specific query from the mobile station to the network seeking information from said database;

15 means for determining the current geographic location of the querying mobile station within the network;

means for searching the database with the specific query of the mobile station and the current geographic location of the mobile station;

20 means for locating information within the database related to the query of said mobile station;

means for organizing said located information hierarchically into groups in accordance with geographic zones with which said information has an association; and

means for providing said organized information from the database to the querying mobile station in sequential groups in accordance with the proximity of the zone with which each group is associated to the zone in which the querying mobile station is currently located.

25

33. A system for accessing information within a geographical database associated with a radio telecommunications system serving mobile stations moving over a geographic area as set forth in claim 31 wherein the zones in accordance with which

30

-28-

said information is organized are concentric with respect to one another and the location of the querying mobile station is at the center thereof.

- 5 34. A system for accessing information within a geographical database associated with a radio telecommunications system serving mobile stations moving over a geographic area as set forth in claim 32 wherein said information sought by said mobile station is related to consumer services available to subscribers of said telecommunication system and each of the items of said information has an association with a geographic zone within which said services are available to said subscriber.

1/8




FIG. 1




FIG. 2




FIG. 3






FIG. 4

3/8

**FIG. 5**






FIG. 6

5/8



**FIG. 7**

6/8





7/8

Neighbouring Zones

**FIG. 9****FIG. 10**

8/8

**FIG. 11****FIG. 12**

INTERNATIONAL SEARCH REPORT

International Application No

PCT/SE 98/01441

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 H04Q7/22

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04Q H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 579 535 A (ORLEN NOAH P ET AL) 26 November 1996	1-3,5,6, 10-15, 17,18, 20-24
A	see column 5, line 30 - line 49 see column 6, line 11 - line 23 see column 9, line 3 - line 47 see column 10, line 51 - column 13, line 14 --- -/--	7,19,25, 26,28, 29,31, 32,34

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

4 December 1998

Date of mailing of the international search report

11/12/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Schut, G

INTERNATIONAL SEARCH REPORT

Inter. Application No

PCT/SE 98/01441

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	CA 2 160 278 A (AG COMMUNICATION SYSTEMS) 28 June 1996 & US 5 727 057 A see column 7, line 4 - line 17 see column 8, line 24 - line 60 see column 10, line 64 - column 12, line 34	25,28
A	WO 96 36193 A (FINLAND TELECOM OY ;SIMOLA OLLI (FI); SANDMAN TOM (FI)) 14 November 1996 see page 6, line 5 - page 7, line 25	10,22

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/SE 98/01441

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5579535	A	26-11-1996	CA 2112594 A	21-01-1993
			EP 0592493 A	20-04-1994
			JP 6508970 T	06-10-1994
			WO 9301665 A	21-01-1993
CA 2160278	A	28-06-1996	US 5727057 A	10-03-1998
WO 9636193	A	14-11-1996	FI 952280 A	11-11-1996
			AU 5651096 A	29-11-1996
			EP 0779013 A	18-06-1997